

Index of Authors

with the titles of papers

ALANKO, S., *see* Tolonen, A.-M.

ALDEN, R. G., LIN, S. H., XIAO, W. Z., FAIN, B., and ISLAMPOUR, R.: Theory of femtosecond time-resolved infrared adsorption spectroscopy with application to ligand dissociation in haemoglobin, 1375

AMOS, R. D., *see* Jayatilaka, D.

ATTARD, P.: Expansion moments for the local field distribution that involve the three-particle distribution function, 975

BACHEM, E., *see* Lipus, K.

BADER, R. F. W., KEITH, T. A., GOUGH, K. M., and LAIDIG, K. E.: Properties of atoms in molecules: additivity and transferability of group polarizabilities, 1167

BADALI, J. P., *see* Zhang, Q.

BAER, M., and ENGLMAN, R.: A study of the diabatic electronic representation within the Born-Oppenheimer approximation, 293

BANICHEVICH, A., KLOTZ, R., and PEYERIMHOFF, S. D.: Predissociation of the ions HBr^+ and DBr^+ , 173

BARANYAI, A., and WELBERRY, T. R.: Molecular dynamics simulation study of solid poly-phenyls: Structures determined by the interplay between intra- and intermolecular forces, 867

BARTELL, L. S., and POWELL, B. M.: Crystal structures of the low temperature phases of TeF_6 , 689

BARTLETT, J. M., DENNING, R. G., MORRISON, I. D.: The electronic structure of actinyl ions. Part IX. The electronic spectroscopy of $(\text{PPh}_3)\text{UOCl}_5$, 601

BATCHELOR, S. N., MC LAUCHLAN, K. A., and SHKROB, I. A.: Reaction yield detected magnetic resonance in exciplex systems. I. B_0 and B_1 spectra, 501

BATCHELOR, S. N., MC LAUCHLAN, K. A., and SHKROB, I. A.: Reaction yield detected magnetic resonance in exciplex systems. II. Time resolved and pulse studies, 531

BAUERLE, P., *see* Sacrifitci, N. S.

BAUMANN, W., *see* Rodrigues, S. V.

BELORIZKY, E., and REY, P.: Interpretation of the magnetic behaviour of an hexakis manganese (II)-nitroxide oligonuclear complex, 563

BERGER, H., *see* Lavorel, B.

BERTOLINI, D., and TANI, A.: Vibrational dynamics of water in terms of angular velocity correlation functions and orientational structure, 1047

BERTOLINI, D., and TANI, A.: The frequency and wavelength dependent dielectric permittivity of water, 1065

BESNARD, M., *see* Cabaço, M. I.

BODENHAUSEN, G., *see* Burghardt, I.

BÖHM, M. C., and SCHÜTT, J.: Many-particle effects in the bond length alternation of alternant hydrocarbons, 961

BORGmann, D., *see* Heras, J. M.

BOUGHEY, J. D., *see* Goodwin, S. P.

BRESGUNOV, A. YU., DUBINSKY, A. A., POLUEKTOV, O. G., LEBEDEV, YA. S., and PROKOF'EV, A. I.: The structure of phenoxyl radicals as studied by 2 mm band ESR, 1123

BURENIN, A. V.: Optimum rational versions of effective rotational Hamiltonian operator of the symmetric top-type molecule. Application to the PH_3 molecule in the ground state, 305

BURGHARDT, I., KONRAT, R., and BODENHAUSEN, G.: Measurement of cross correlation of fluctuations of dipolar couplings and anisotropic chemical shifts by selective spin locking, 467

CABAÇO, M. I., BESNARD, M., and YARWOOD, J.: Raman spectroscopic studies of vibrational relaxation and chemical exchange broadening in hydrogen bonded systems. 1. Investigation of relaxation processes in binary mixtures of pyridine and ethanol, 139

CABAÇO, M. I., BESNARD, M., and YARWOOD, J.: Raman spectroscopic studies of vibrational relaxation and chemical exchange broadening in hydrogen bonded systems. 2. Analysis of the effect of exchange dynamics in the pyridine + ethanol system, 157

CAMINATI, W., DAMIANI, D., CORBELL, G., and FAVERO, L. B.: Ring puckering motion in indan: a microwave spectroscopy study, 857

CATALIOTTI, R. S., *see* Giorgina, M. G.

CHAZIN, W. J., *see* Palmer, A. G. III.

CHEN, X. S., *see* Kasch, M.

COLT, J. R., and SCUSERIA, G. E.: A coupled cluster study of the equilibrium bond distance in methane, 1199

CONSTA, S., *see* Petsalakis, I. D.

CORBELL, G., *see* Caminati, W.

COSSART-MAGOS, C., LAUNAY, F., and PARKIN, J. E.: High resolution absorption spectrum of CO_2 between 1750 and 2000 Å. 1. Rotational analysis of nine perpendicular-type bands assigned to a new bent-linear electronic transition, 835

COSTA, C., *see* Magnasco, V.

COVENY, F. M., STRANGE, J. H., and SMITH, E. G.: The measurement of electrophoretic mobility in surfactant systems using NMR, 127

CRACKNELL, R. F., NICHOLSON, D., and PARSONAGE, N. G.: Interbilayer repulsion in nonionic surfactant-water lamellar phases. 1. A Monte Carlo study of a dipole array model with discrete water molecules, 1023

CRACKNELL, R. F., NICHOLSON, D., and PARSONAGE, N. G.: Interbilayer repulsion in nonionic surfactant-water lamellar phases. 2. The role of binding site entropy, 1039

CUMMINGS, P. T., *see* Wang, B. Y.

DAMIANI, D., *see* Caminati, W.

DE BOER, E., *see* Van der Pol, A.

DENNING, R. G., *see* Bartleet, J. M.

DE SANTIS, A., GREGORI, A., and ROCCA, D.: Nearest neighbour contributions to the atom-atom pair distribution functions of liquid iodine and chlorine, 653

DOMKE, T.: Even/odd multiplicity editing of X-nuclei after heteronuclear Hartmann-Hahn mixing, 829

DONOVAN, R. J., *see* Kvaran, Å.

DONOVAN, R., *see* Lawley, K.

DOVERSTÅL, M., and WEINITZ, P.: Lifetime measurements of the $\text{A}^3\Phi_2$, $\text{B}^3\Pi_0$, and $\text{C}^3\Delta_1$ $v = 0$ states of ^{48}TiO , 1357

DUBINSKY, A. A., *see* Bresgunov, A. Yu.

DYMOND, J. H., and HARRIS, K. R.: The temperature and density dependence of the self-diffusion coefficient of *n*-hexadecane, 461

EFFENBERGER, F., *see* Sariciftci, N. S.

EID, KH. M., *see* Shalabi, A. S.

ELLIOTT, J. R., JR, *see* Vasudevan, V. J.

ELY, J. F., *see* Rowley, R. L.

ENGLMAN, R., *see* Baer, M.

EVANS, D. J., *see* Wang, B. Y.

EVANS, M. W., *see* Woźniak, S.

FABRE, D., *see* Lavoré, B.

FAIN, B., *see* Alden, R. G.

FAVERO, L. B., *see* Caminati, W.

FELDER, P., *see* Frey, J. G.

FIGARI, G., *see* Magnasco, V.

FINN, J. E., *see* Kierlik, E.

FISCHER, J., *see* Möller, D.

FISCHER, J., *see* Möller, D.

FORSTMANN, F., *see* Kasch, M.

FORTUNELLI, A., and SALVETTI, O.: Valence-space-only calculations on molecules: polarization effects, 1191

FRENKEL, D., *see* Seipmann, J. I.

FRENKEL, D., and SMIT, B.: Unexpected length dependence of the solubility of chain molecules, 983

FREY, J. G., and FELDER, P.: The analysis of anisotropic photodissociation time-of-flight data obtained from a rotating source machine, 1419

GIORGINA, M. G., MARIANI, L., MORRESI, A., PALIANI, G., and CATALIOTTI, R. S.: Molecular dynamics and vibrational relaxations in liquid nitromethane. I. Totally symmetric ν_1 and ν_2 modes, 1089

GOODWIN, S. P., BOUGHEY, J. D., and HERITAGE, J. R.: Calculation of the hard sphere radial distribution function, 917

GÖTZ, G., *see* Sariciftci, N. S.

GOUGH, K. M., *see* Bader, R. F. W.

GOUGH, K. M., *see* Bader, R. F. W.

GOULDING, C. W., and RIGBY, M.: Shape effects in two-dimensional hard molecule fluids, 623

GREGORI, A., *see* De Santis, A.

GRICE, R., *see* Jarvis, R. D.

GROARKE, P. J., *see* Nguyen, M. T.

GRUPP, A., *see* Sariciftci, N. S.

GUBBINS, K. E., *see* Vega, C.

HANDY, N. C., *see* Jayatilaka, D.

HARRIS, K. R., *see* Dymond, J. H.

HAUTMAN, J., and KLEIN, M. L.: An Ewald summation method for planar surfaces and interfaces, 379

HAYMET, A. D. J., *see* Laird, B. B.

HERAS, J. M., VISCIDO, L., BORGGMANN, D., and WEDLER, G.: AES electron beam induced fragmentation of molecular water adsorbed on copper, 487

HERITAGE, J. R., *see* Goodwin, S. P.

HERWIG, K. W., and SIMMONS, R. O.: Inelastic neutron scattering from gaseous hydrogen, 1393

HONG, S. D., YOON, B. J., and JHON, M. S.: Calculation of excess free energy from averaged acceptance ratio in Monte Carlo simulation for hard sphere and hard dumb-bell fluids, 355

HORE, P. J., and HUNTER, D. A.: Theory of EPR spectra of radical pairs diffusing on a spherical surface, 1401

HØYE, J. S., LOMBA, E., and STELL, G.: Further investigations into the low-density behaviour of the hypernetted chain equation for ionic fluids, 1217

HSU, TZE-JENG, and MOU, CHUNG-YUAN: Molecular dynamics study of liquid-solid transition of dense Lennard-Jones liquid, 1329

HUMMER, G., and SOUMPASIS, D. M.: An extended RISM study of simple electrolytes: pair correlations in a NaCl-SPC water model, 633

HUNTER, D. A., *see* Hore, P. J.

ICHIKAWA, K., *see* Kameda, Y.

IHM, G., SONG, Y., and MASON, E. A.: Equation of state for mixtures of non-polar molecular fluids, 897

IKAWA, S., and WHALLEY, E.: Effect of pressure on the Raman depolarization ratio and the vibrational relaxation of the ν_1 mode of liquid carbon tetrachloride at 22°C and 0-1 kbar, 659

ISLAMPOUR, R., *see* Alden, R. G.

ITURBE, J., *see* Urrecha, I.

JARVIS, R. D., WHITE, R. W. P., ZHU, Z. Z., SMITH, D. J., and GRICE, R.: Transition state dynamics of F + ICl, C_2H_5I reactive scattering, 587

JAYATILAKA, D., MASLEN, P. W., AMOS, R. D., and HANDY, N. C.: Higher analytic derivatives. III. Geometrical derivatives of the dipole and dipole polarizabilities, 271

JEWSBURY, P., *see* Lawley, K.

JHON, M. S., *see* Hong, S. D.

KAMEDA, Y., KOTANI, S., and ICHIKAWA, K.: Intermolecular structure around lithium monovalent cations and nitrogen atoms in molten LiNO_3 , 1

KAMEL, M. A., *see* Shalabi, A. S.

KASCH, M., CHEN, X. S., and FORSTMANN, F.: The calculation of correlation functions in fluids by a weighted density concept, 415

KEITH, T. A., *see* Bader, R. F. W.

KELLÖ, V., and SADLEJ, A. J.: Electron correlation and relativistic contributions to molecular electrical properties: dipole and quadrupole moments of cyanogen halides, 209

KELLY, S. E., *see* King, F. W.

KIERLIK, E., ROSINBERG, M., FINN, J. E., and MONSON, P. A.: Binary vapour mixtures adsorbed on a graphite surface: A comparison of mean field density functional theory with results from Monte Carlo simulations, 1435

KING, F. W., KELLY, S. E., and KUEHNE, M. A.: Nonlinear programming approach to locally constrained variational calculations on the ground state of the helium atom, 243

KLEIN, M. L., *see* Hautman, J.

KLOTZ, R., *see* Banichevich A.

KOLAFÁ, J.: Finite size effects for liquids in cyclic boundary conditions, 577

KONRAT, R., *see* Burghardt, I.

KOTANI, S., *see* Kameda, Y.

KOVACIK, I., *see* Voronkova, V. K.

KOZISEK, J., *see* Voronkova, V. K.

KUEHNE, M. A., *see* King, F. W.

KUMAR, A., and MEATH, W. J.: Dipole oscillator strength properties and dispersion energies for acetylene and benzene, 311

KVARAN, Á., YENCHA, A. J., LAWLEY, K. P., and DONOVAN, R. J.: Analyses of the 290–400 nm oscillatory continua due to transitions from the $\text{E}(\text{O}^+)$ ion pair state of BrCl , 197

LABÍK, S., *see* Malíjevský, A.

LABÍK, S., *see* Pospíšil, R.

LABLANQUIE, P., *see* Stace, A. J.

LAIDIG, K. E., *see* Bader, R. F. W.

LAIRD, B. B., and HAYMET, A. D. J.: Phase diagram for the inverse sixth power potential system from molecular dynamics computer simulation, 71

LANE, S., *see* Szalay, V.

LANGFELDEROVA, H., *see* Voronkova, V. K.

LANGRIDGE-SMITH, P., *see* Lawley, K.

LAUNAY, F., *see* Cossart-Magos, C.

LAUREL, B., OKSENGORN, B., FABRE, D., SAINT-Loup, R., and BERGER, H.: Stimulated Raman spectroscopy of the Q branch of nitrogen at high pressure: collisional narrowing and shifting in the 150–6800 bar range at room temperature, 397

LAWLEY, K. P., *see* Kvaran, Á.

LAWLEY, K., JEWSBURY, P., RIDLEY, T., LANGRIDGE-SMITH, P., and DONOVAN, R.: Einstein A -coefficients and transition dipole moments for some ion-pair to valence transitions in I_2 , 811

LEBEDEV, YA. S., *see* Bresgunov, A. Yu.

LEVESQUE, D., *see* Zarragoicoechea, G. J.

LIN, S. H., *see* Alden, R. G.

LIPUS, K., BACHEM, E., and URBAN, W.: Direct observation of fine structure transitions within the $\text{X}^2\Delta$ ground state of the NiH radical by CO_2 -Faraday laser magnetic resonance, 945

LIU, XIANMING, and MILLER, T. A.: A symmetry-based approach to the effective Hamiltonian for symmetric top molecules in degenerate vibronic states, 1237

LOMBA, E., *see* Høye, J. S.

MAGNASCIO, V., FIGARI, G., and COSTA, C.: Perturbation calculations of nonexpanded interactions in small atomic and molecular systems, 1133

MAITI, A. K., *see* Rodrigues, S. V.

MAKINEN, M. W., *see* Wells, G. B.
MALJEVSKÝ, A., *see* Pospíšil, R.
MALJEVSKÝ, A., Pospíšil, R., SMITH, W. R., and LABÍK, S.: The Ornstein-Zernike equation for hard spheres near a hard wall. A rapid method of numerical solution and an accurate new RHNC theory, 981
MARIANI, L., *see* Giorgina, M. G.
MASLEN, P. W., *see* Jayatilaka, D.
MASON, E. A., *see* Ihm, G.
MCDONALD, I. R., *see* Siepmann, J. I.
MC LAUCHLAN, K. A., *see* Batchelor, S. N.
MEATH, W. J., *see* Kumar, A.
MEHRING, M., *see* Sariciftci, N. S.
MICHALIK, J., *see* see Van der Pol, A.
MILLER, T. A., *see* Liu, Xianming
MÖLLER, D., OPRZYNSKI, J., and FISCHER, J.: Thermodynamic properties of mixtures with linear molecules from WCA-type perturbation theory in comparison with MD results, 1455
MÖLLER, D., OPRZYNSKI, J., MÜLLER, A., and FISCHER, J.: Prediction of thermodynamic properties of fluid mixtures by molecular dynamics simulations: methane-ethane, 363
MONSON, P. A., *see* Kierlik, E.
MORAWITZ, H., *see* Winkler, R. G.
MORRESI, A., *see* Giorgina, M. G.
MORRISON, I. D., *see* Bartlett, J. M.
MOSINA, V. K., *see* Voronkova, V. K.
MOU, CHUNG-YUAN, *see* Hsu, Tze-Jeng.
MÜLLER, A., *see* Möller, D.

NEZBEDA, I., and SMITH, W. R.: Theory of the glass transition and the amorphous state. I. The hard-sphere fluid, 789
NGUYEN, M. T., and GROARKE, P. J.: Calculated properties of some oxaborons $R-B=O$ ($R \equiv H, F, Cl$ and CH_3) and their higher energy isomers $R-O=B$, 1105
NICHOLSON, D., *see* Cracknell, R. F.
NICHOLSON, D., *see* Parsonage, N. G.
NISHI, N., *see* Stace, A. J.
NORDIO, P. L., and POLIMENO, A.: Diffusion model for a reactive coordinate coupled to a solvent variable of different timescale, 1203

OHASHI, K., *see* Stace, A. J.
OKSENGORN, B., *see* Lavorel, B.
OPRZYNSKI, J., *see* Möller, D.
OPRZYNSKI, J., *see* Möller, D.

PADILLA, P., and TOXVÆRD, S.: Second virial coefficients of *n*-alkanes, 1143
PALIANI, G., *see* Giorgina, M. A.
PALMER, A. G., III, SKELTON, N. J., CHAZIN, W. J., WRIGHT, P. E., and RANCE, M.: Suppression of the effects of cross-correlation between dipolar and anisotropic chemical shift relaxation mechanisms in the measurement of spin-spin relaxation rates, 699
PARKIN, J. E., *see* Cossart-Magos, C.
PARSONAGE, N. G., *see* Cracknell, R. F.
PARSONAGE, N. G., and NICHOLSON, D.: A statistical mechanical study of a model for the stacking/unstacking behaviour of thylakoid membranes, 23
PETSALAKIS, I. D., THEODORAKOPOULOS, G., and CONSTA, S.: Theoretical calculations on the electronic state of XeH , 805
PEYERIMHOFF, S. D., *see* Banichevich, A.
PHILLPOT, S. R., and RICKMAN, J. M.: Temperature dependence of the thermodynamic properties of a liquid over a wide range of temperatures from simulations at a single temperature, 189
PIERLEONI, C., and RYCKAERT, J.-P.: On the use of the Nosé-Hoover thermostat in the simulation of dynamic properties of a single chain molecule in solvent, 731

POLIMENTO, A., *see* Nordio, P. L.

POLUKEKTOV, O. G., *see* Bresgunov, A. Yu.

POSPÍŠIL, R., *see* Malijevský, A.

POSPÍŠIL, R., SÝS, J., MALIJEVSKÝ, A., and LABÍK, S.: Monte Carlo study of hard sphere fluids near a hard cylinder macromolecule, 261

POWELL, B. M., *see* Bartell, L. S.

POWELL, B. M., *see* Torrie, B. H.

PROKOF'EV, A. I., *see* Bresgunov, A. Yu.

RANCE, M., *see* Palmer, A. G. III.

REIJERSE, E. J., *see* Van der Pol, A.

REIS, H., *see* Rodrigues, S. V.

REY, P., *see* Belorizky, E.

RICKAYZEN, G.: The structure of inhomogeneous molecular fluids: a restricted orientation model, 333

RICKMAN, J. M., *see* Phillipot, S. R.

RIDLEY, T., *see* Lawley, K.

RIGBY, M., *see* Goulding, C. W.

ROCCA, D., *see* De Santis, A.

RODRIGUES, S. V., MAITI, A. K., REIS, H., and BAUMANN, W.: Electro optical emission measurements on a nonconjugated bichromophoric donor-acceptor molecule, 953

ROSENBERG, M., *see* Kierlik, E.

ROWLEY, R. L., and ELY, J. F.: Non-equilibrium molecular dynamics simulations of structured molecules. II. Isomeric effects on the viscosity of models for *n*-hexane, cyclohexane and benzene, 713

RYCKAERT, J.-P., *see* Pierleoni, C.

SADLEJ, A. J., *see* Kellö, V.

SADLEJ, A. J., *see* Woliński, K.

SAINTELOUP, R., *see* Lavorel, B.

SALVETTI, O., *see* Fortunelli, A.

SARICIFTCI, N. S., WERNER, A., and MEHRING, M.: Structural effects on the spin distribution anomaly of viologens, 1269

SARICIFTCI, N. S., WERNER, A., GRUPP, A., MEHRING, M., GOTZ, G., BAUERLE, P., and EFFENBERGER, F.: On the spin distribution in bridged anthracene-viologen molecules: an electron-nuclear double resonance study, 1259

SCHÜTT, J., *see* Böhm, M. C.

SCUSERIA, G. E., *see* Colt, J. R.

SHALABI, A. S., KAMEL, M. A., SHALABI, S. A., and EID, KH. M.: Ground and excited state properties of many-body energies in $\text{Li}_n^{2+} + \text{F}^-$ ions, 1365

SHALABI, S. A., *see* Shalabi, A. S.

SHKROB, I. A., *see* Batchelor, S. N.

SIEPMANN, J. I., and FRENKEL, D.: Configurational bias Monte Carlo: a new sampling scheme for flexible chains, 59

SIEPMANN, J. I., and McDONALD, I. R.: Monte Carlo simulations of mixed monolayers, 255

SIMMONS, R. O., *see* Herwig, K. W.

SIU, G. G., *see* Tanner, P. A.

SKELTON, N. J., *see* Palmer, A. G. III.

SMIT, B., *see* Frenkel, D.

SMITH, D. J., *see* Jarvis, R. D.

SMITH, E. G., *see* Coveney, F. M.

SMITH, W. R., *see* Malijevský, A.

SMITH, W. R., *see* Nezbeda, I.

SOKOŁOWSKI, S.: Adsorption of oxygen in slit-like pores: grand canonical ensemble Monte Carlo studies, 999

SOKOŁOWSKI, S.: Molecular dynamics studies of adsorption and flow of fluids through geometrically non-uniform cylindrical pores, 1301

SOMOZA, A. M., and TARAZONA, P.: Liquid crystals of asymmetric hard body molecules, 17

SONG, Y., *see* Ihm, G.

SOUMPASIS, D. M., *see* Hummer, G.

STACE, A. J., OHASHI, K., LABLANQUIE, P., and NISHI, N.: Chemical reactivity promoted by optical excitation transfer in mixed clusters, 741

STELL, G., *see* Hoye, J. S.

STRANGE, J. H., *see* Coveney, F. M.

SUTCLIFFE, B. T.: The use of perimetric coordinates in the vibration-rotation Hamiltonian for triatomic molecules, 1233

SÝS, J., *see* Pospíšil, R.

SZALAY, V., and LANE, S.: Derivation of rotational-vibrational Hamiltonian matrices of real elements, 781

SZLEIFER, I., and WIDOM, B.: Surface tension, line tension, and wetting, 925

TALBOT, J.: A statistical model for the dynamical properties of hard body fluids, 43

TANI, A., *see* Bertolini, D.

TANNER, P. A., and SIU, G. G.: Electric quadrupole allowed transitions of lanthanide ions in octahedral symmetry, 233

TARAZONA, P., *see* Somoza, A. M.

TEKELY, P.: Inhomogeneous distribution of correlation times in two-site exchange of phenyl groups and premelting of 4-ethoxyphenyl 4-ethoxybenzoate as revealed by high-resolution ^{13}C and ^1H solid-state NMR spectroscopy, 747

THEODORAKOPOULOS, G., *see* Petsalakis, I. D.

TOLOVEN, A.-M., and ALANKO, S.: Investigations on the infrared spectrum of acetylene between 2500 cm^{-1} and 2800 cm^{-1} and studies of the resonance effects, 1155

TORRIE, B. H., and POWELL, B. M.: Phase transition in solid acetonitrile, 613

TOXVÆRD, S., *see* Padilla, P.

URBAN, W., *see* Lipus, K.

URRECHA, I., and ITURBE, J.: Quasiclassical trajectory study of the F + ICI system: effect of the triplet energy of IF, 763

VAN DER POL, A., REIJERSE, E. J., DE BOER, E., WASOWICZ, T., and MICHALIK, J.: The electron paramagnetic resonance spectrum of Ag_3^{3+} , 37

VASUDEVAN, V. J., and ELLIOTT, J. R., JR.: Structure and thermodynamics of chain molecular fluid mixtures, 443

VEGA, C.: A perturbation theory of hard quadrupolar fluids, 427

VEGA, C., and GUBBINS, K. E.: Monte Carlo study of quadrupolar Kihara fluids, 881

VISCIDO, L., *see* Heras, J. M.

VRONKOVKA, V. K., MOSINA, L. V., YABLOKOV, YU. V., KOVACIK, I., LANGFELDEROVÁ, H., and KOZISEK, J.: Effects of low symmetry and spin-spin interaction in the centrosymmetric dimer $[\text{Cu}(\text{PU})_3(\text{ClO}_4)_2]$ with out-of-plane bond, 1275

WAGNIÈRE, G., *see* Woźniak, S.

WANG, B. Y., CUMMINGS, P. T., and EVANS, D. J.: Nonequilibrium molecular dynamics study of molecular contributions to the thermal conductivity of carbon dioxide, 1345

WASOWICZ, T., *see* Van der Pol, A.

WEDLER, G., *see* Heras, J. M.

WEIJNITZ, P., *see* Doverstål, M.

WEIS, J. J., *see* Zarragoicoechea, G. J.

WELBERRY, T. R., *see* Baranyai, A.

WELLS, G. B., YIM, M. B., and MAKINEN, M. W.: The influence of oxygen-17 enriched oxygen-donor ligands on the electronic spin relaxation behaviour of paramagnetic metal ions, 1285

WERNER, A., *see* Sarıçiftci, N. S.

WHALLEY, E., *see* Ikawa, S.

WHITE, R. W. P., *see* Jarvis, R. D.

WIDOM, B., *see* Szleifer, I.

WINKLER, R. G., MORAWITZ, H., and YOON, D. Y.: Novel molecular dynamics simulations at constant pressure, 669

WOLIŃSKI, K., and SADLEJ, A. J.: Evaluation of the multipole-induced-multipole model: incremental dipole polarizabilities in the $\text{CH}_4 \dots \text{He}$ system, 221

WOŹNIAK, S., EVANS, M. W., and WAGNIÈRE, G.: Optically induced static magnetization near optical resonance in molecular systems. 1. Inverse Faraday effect, 81

WOŹNIAK, S., EVANS, M. W., and WAGNIÈRE, G.: Optically induced static magnetization near optical resonances in molecular systems. 2. Inverse magnetochiral birefringence, 99

WRIGHT, P. E., *see* Palmer, A. G. III.

XIAO, W. Z., *see* Alden, R. G.

YABLOKOV, YU. V., *see* Voronkova, V. K.

YARWOOD, J., *see* Cabaço, M. I.

YENCHÀ, A. J., *see* Kvaran, Å.

YIM, M. B., *see* Wells, G. B.

YOO, B. J., *see* Hong, S. D.

YOO, D. Y., *see* Winkler, R. G.

ZARRAGOICOECHEA, G. J., LEVESQUE, D., and WEIS, J. J.: Monte Carlo study of dipolar ellipsoids. II. Search for an isotropic-nematic phase transition, 989

ZHANG, Q., and BADALI, J. P.: Optical birefringence in inhomogeneous polar liquids. Existence of a natural Kerr effect, 325

ZHU, Z. Z., *see* Jarvis, R. D.

